

**PATENT  
MOC03 P361****CERTIFICATE OF FACSIMILE TRANSMISSION**

I hereby certify that the following Response is being transmitted by facsimile to the Patent and Trademark Office to 703-872-9306 on the date shown below. A total of 1 page should be received.

February 3, 2005

Date

  
Dana A. Lozon**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE****RECEIVED  
CENTRAL FAX CENTER****FEB 03 2005**

Art Unit : 2116  
Examiner : John R. Cottingham  
Applicant : Koji Kaneko  
Serial No. : 09/737,075  
Filed : December 13, 2000  
Confirmation No. : 8251

**For: ADJUSTING MECHANISM FOR INSTALLATION OF PLATE-LIKE MEMBERS**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

The Office Action mailed January 10, 2005, in the above-identified application failed in Paragraph 4 to identify the reference on which the rejection was based. Although a potential reference was identified in a call to the Examiner on February 1, 2005, due to the Applicant being located in Japan, additional time to respond to this Office Action is needed.

In a telephone call with Examiner Cottingham, he indicated the time would be reset with a new Office Action identifying the reference relied upon. Accordingly, please reissue the Office Action identifying the missing reference number.

Respectfully submitted,

KOJI KANEKO

By: Price, Heneveld, Cooper,  
DeWitt & Litton, LLP

February 3, 2005

Date

HWR:dal



H. W. Reick, Reg. No. 25 438  
695 Kenmoor S.E./P.O. Box 2567  
Grand Rapids, MI 49501  
Phone: (616) 949-9610  
Facsimile: (616) 957-8196